Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	58870	eddy near2 current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ,	2006/04/23 11:11
L9	4934	8 and two with frequenc\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 11:11
L10	1605	9 and (low with high) with frequenc\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 11:12
L11	465	10 and ferromagnetic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 11:12
L12	15	11 and carbide with alloy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 11:41
L13	23	10 and carbide with alloy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 11:16
L14	24	10 and blade and vane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 11:16
L15	1819	eddy with current with ferromagnetic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 11:38

		EAGT Gear	· · · · · · · · · · · · · · · · · · ·			
L16	17	15 and gas with turbine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 11:38
L17	28	9 and carbide with alloy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 11:41
L18	4389	((324/237-241) or (324/226-232)). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/23 11:46
L19	1	18 and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 11:47
L20		18 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 11:52
L21	1454	18 and eddy near2 current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 11:52
L22	313	21 and two with frequenc\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 11:52
L23	156	22 and (low with frequency) and (high with frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 11:53
L24	77	23 and low near3 high	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 13:02

L25	16	24 and oxide	US-PGPUB; USPAT;	OR	ON	2006/04/23 11:53
			USOCR; EPO; JPO; DERWENT; IBM_TDB			
L26	13	21 and carbide and permeability	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 13:07
L27	118	21 and (frequency with khz and mhz)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 13:19
L28	6	21 and nondestructive and (vane or balde)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/04/23 13:20
L29	35	21 and nondestructive and (vane or blade)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 13:35
L30	2	("5412317").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/23 14:14
L31	57776	oxide with carbide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/04/23 14:15
L32	58597	oxid\$3 with carbide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 14:15
L33	487 _.	32 and eddy near2 current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 14:16

L34	146	33 and (blade or vane)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 14:16
L35	4	34 and "324"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 14:23
L36	8	("3815016" "4634291" "4818118" "4920319" "5416411" "5467014" "6040694").PN. OR ("6534975").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/23 14:20
L37	8'	(("5310522") or ("4853634") or ("3544890")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/23 14:33
L38	2	("5793206").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/23 14:56
L39	2	("6541967").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/23 14:57
L40	4	(("6545469") or ("6657429")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/23 14:57